NORTH

GRAPHIC SCALE IN FEET
0 15 30 60

1. PROPOSED STRUCTURE ENTRANCE WILL IMPACT THE EXISTING DRAINAGE BASIN. LOST STORAGE WILL NEED TO BE ADDRESS AS WITH CONSTRAINT TO OUTLET STRUCTURE.

2. EX. STORM PIPE UNDER PROPOSED PARKING STRUCTURE. PIPE MAY NEED TO BE RELOCATED IF IN CONFLICT WITH PROPOSED FOUNDATIONS OR IF RELOCATION IS REQUIRED BY THE CITY OF SARASOTA.

3. BURIED ELECTRIC CONDUIT UNDER PROPOSED PARKING STRUCTURE. CONDUIT MAY NEED TO BE RELOCATED IF IN CONFLICT WITH PROPOSED FOUNDATIONS OR IF RELOCATION IS REQUIRED BY THE CITY OF SARASOTA.

4. EXISTING GAS MAIN, BURIED COMMUNICATION LINES, WATER MAINS, AND SEWER SERVICES LOCATED IN ALLEY OR ADJACENT TO ALLEY. APPROX. LOCATIONS SHOWN BUT NOT ALL LOCATIONS WERE AVAILABLE AT THE TIME OF THIS STUDY. POSSIBLE IMPACTS WITH THE PROPOSED STRUCTURE MAY EXIST AND MAY REQUIRE RELOCATION.

5. EXISTING OVERHEAD ELECTRIC WILL NEED TO BE PROTECTED DURING CONSTRUCTION. DUE TO THE CLOSE PROXIMITY TO THE PROPOSED STRUCTURE, RELOCATION MAY BE REQUIRED.

NOTE: EXISTING UTILITIES SHOWN ARE A GRAPHICAL REPRESENTATION PER AS-BUILTS AND OTHER INFORMATION. THESE WERE NOT LOCATED BY AN ACTUAL FIELD SURVEY AND WILL NEED TO BE VERIFIED PRIOR TO FINAL DESIGN AND CONSTRUCTION.

Kimley-Horn and Associates, Inc.
© 2013 KIMLEY-HORN AND ASSOCIATES, INC.
1221 BRICKELL AVENUE, SUITE 400, MIAMI, FL 33131
PHONE: 305-673-2025 FAX: 305-673-4882
WWW.KIMLEY-HORN.COM CA 00000696

CITY OF SARASOTA
ST. ARMANDS PARKING FEASIBILITY STUDY

NORTH ADAMS LOT PARKING GARAGE
OPTION 2 - POTENTIAL CIVIL IMPACTS

SHEET NUMBER
C-2.1

Plotted By:Paquet, Dean Sheet Set:King Layout:North 2 - Aerial December 17, 2013 04:56:37pm K:\SAR_LRG\043584000 - St Armands Parking Study\CAD\Exhibits\North Garage\North_2_Util_Impacts.dwg
This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.

NORTH

GRAPHIC SCALE IN FEET
0 15 30 60

Kimley-Horn and Associates, Inc.
© 2013 KIMLEY-HORN AND ASSOCIATES, INC.
1221 BRICKELL AVENUE, SUITE 400, MIAMI, FL 33131
PHONE: 305-673-2025 FAX: 305-673-4882
WWW.KIMLEY-HORN.COM CA 00000696

CITY OF SARASOTA

SOUTH PARKING GARAGE - OPTION 1
POTENTIAL CIVIL IMPACTS

SHEET NUMBER
C-1.1

Posted By:Paquet, Dean Sheet Set:Kha Layout:South 1 - Aerial December 17, 2013 03:20:51pm K:\SAR_LRC\043584100 - St Armands Parking Study\CAD\Exhibits\South Garage\South_1_UTI_Impacts.dwg
This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.